

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

4		-			
1	Ba	014	~ ^	וכו	–
•	Da	311		а	La

-roduct identification					Dann	ant ID DDD 2	Voth	
Product identification				1.40	Document ID DPD 3-Katherm			
Product name Katherm (floor duct neaters)	Product no/ID d 143, 145, 241, 2		Product group Katherm					
New declaration	In the case of	n the case of a revised declaration						
Revised declaration	Has the product the changed?	Has the product been Changed?				0		
	□No □Y	l'es	Cha	nged pro	oduct ca	n be identified	d by	
Drawn up/revised on (date) 2013-11-01								
Other information: 2013								
2 Supplier information	on							
Company nameKampmann GmbH				Comp	any reg.	no/DUNS no	HR B 100	654
Address Friedrich-Ebert-S	•				ct persoi	ı		
49811 Lingen (E	ms)			Telepl	none	+49 591 71	08150	
Website: www.kampmann.de				E-mail martin.kohle@kampmann.de				
Does the company have an envir	onmental manager	nent systen	n?	☐Yes ☐No				
The company possesses certification in compliance with	□ISO 9000	□ISO 140	000	Oth	9001:2008		please specify: ISO Regist. No. 01 100 6386/1	
Other information:								
3 Product information	n							
Country of final manufacture	Germany	If countr	y can	not be s	tated, pl	ease state why	/	
Area of use System	ns for heating and	cooling. Id	eal fo	or fitting			expanses of	
s there a Safety Data Sheet for the	his product?					ot relevant	Yes	□No
n accordance with the regulation Chemicals Agency, please state:	ns of the Swedish	Classification Labelling			□Not relevant			
s the product registered in BAS	ГА?						□Yes	□No
Has the product been co-labelled?	teria not found	□Yes		No	If "y	es", please spe	ecify:	
s there a Type III environmental	declaration for the	e product?					□Yes	□No
Other information:								

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:								
Constituent materials/ components	Constituent substances		EG no/ CAS no (or alloy)	Classifi- cation	Comments			

Convektor - brass (valve connection) EC van - aluminium (walz) EC van - steel sheet (casing) Grilles - aluminium Control terminal box - steel sheet (casing) Electronic Cable Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent materials/ components Unit 1000 1,49 % 6,78 % 6,78 % 6,55 % 9,46 % 0,43 % Other information: Weight Seg no/ CAS no (or alloy) Constituent substances Components Components	ct - steel sheet or - copper (pipes)	per (pipes) 9,42 %	Basic: Katherm QK
EC van - aluminium (walz) EC van - steel sheet (casing) Grilles - aluminium Control terminal box - steel sheet (casing) Electronic Cable Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent materials/ components Weight Seg no/ CAS no (or alloy) Classification	r - brass (valve		with EC van Unit Lengh 1000 mm
(casing) Grilles - aluminium Control terminal box - steel sheet (casing) Electronic Cable Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent materials/ components Weight EG no/ CAS no cation Classification Components Co	aluminium (walz)		
Control terminal box - steel sheet (casing) Electronic Cable Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent materials/ components Weight wor g Commonents Co			
Cable 2,46 % 0,43 % Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent materials/ components Weight Seg no/ CAS no (or alloy) Classification	erminal box - steel	· · · · · · · · · · · · · · · · · · ·	
Other information: If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to constituent materials/ components Constituent substances Weight % or g Classification Components			
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to components Constituent substances Weight Seg no/ CAS no cation Classification		0,43 /0	
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following to Constituent materials/ components Constituent substances Weight or g Classification Components Component			
Constituent materials/ components Constituent substances Constituent substances Weight substances Weight substances Weight substances Constituent substances Weight substances Constituent substances Weight substances Constituent substanc	rmation:		
components substances % or g (or alloy) cation			
			 Comments
Other information:	rmation:		

5 Production phase

'								
Resource utilisation and environmental imp ways: 1) Inflows (goods, intermediate goods, encoutflows (emissions and residual productions)	ergy etc) for the registered	l product into the n	S					
\Box 2) All inflows and outflows from the extra	, ,	C	e. "cradle-to-gate".					
☐ 3) Other limitation. State what: In house production								
The report relates to unit of product	Reported product	The product's production unit						
Indicate raw materials and intermediate goo	re of the product	□Not relevant						
Raw material/intermediate goods	Quantity and unit		Comments					
Floor Duct - steel sheet Convector - copper (pipes) Convector - aluminium (fins) Convektor - brass (valve connection) EC van - aluminium (walz) EC van -steel sheet (casing) Grilles - aluminium Control terminal box - steel sheet (casing) Electronic Cable	5,761 kg, 47,62 % 1,140 kg, 9,42 % 0,490 kg, 4,05 % 0,180 kg, 1,49 % 0,274 kg, 2,26 % 0,821 kg, 6,78 % 2,292 kg, 18,94 % 0,792 kg, 6,55 % 0,298 kg, 2,46 % 0,052 kg, 0,43 %		Total weight and %-age Basic: Katherm QK with EC van Unit Lengh 1000 mm					
Indicate recycled materials used in the manuf	acture of the product		☐Not relevant					
Type of material	Quantity and unit	Comments						
Enter the energy used in the manufacture of th	nt parts	☐Not relevant						
Type of energy	Quantity and unit	Comments						

Enter the transportation used	ture of the product or its component parts					☐Not relevant			
Type of transportation		Proportion %	0			Co	Comments		
Trains	20								
Lorries	80				Ce	ertifie	ed compani	ies	
Enter the emissions to air , wa component parts	n the manufactu	ire of the pro	oduct o	r its		Not	relevant		
Type of emission	Quantity and	unit			Co	ommo	ents		
Enter the residual products f	rom the manufa	cture of the pro	oduct or its co	ompon	ent parts			Not releva	nt
Zivoi viiv 1001aani p10aavis 1		Proportio					1,001010		
			Material		Energy				
Residual product	Waste code	Quantity	recycled	%	recycled	%	Co	mments	
Is there a description of the data accuracy for the manufacturing data?	data accuracy for the								
Other information:			<u>'</u>						
Does the supplier put into practice product?	Does the supplier put into practice any systems involving multi-use packaging Not relevant Yes No								
Does the supplier take back pa	ackaging for the	product?			□Not	releva	ant	□Yes	□No
Is the supplier affiliated to RE	PA?		□ Not relevant			□Yes	□No		
Other information: Packaging	material is used	d as long as it fi	lls the requir	rement	S				
7 Construction pha	ase								
Are there any special requiren product during storage?	nents for the	□Not releva	nt Yes		No 1	If "yes", please specify:			
Are there any special requirem adjacent building products because product?	ents for ause of this	□Not releva	□Not relevant □Yes □No		No 1	If "yes", please specify:			
Other information:									
8 Usage phase									
Does the product involve any intermediate goods regarding	special requiren	nents for naintenance?	□Yes	□N	o It	f "yes'	", ple	ease specify	7:
Does the product have any sporequirements for operation?	•		□Yes	□N	o It	f "yes'	", ple	ease specify	<i>τ</i> :
Estimated technical service life			ed according	to one	of the fo	ollowi			
a) Reference service life estimated as being approx.	□5 years	10 years	□15 years	☐25 years		∃>50 ears		Comments	3
b) Reference service life estim Other information:	nated to be in the	e interval of 20	-25 years						
- mer micrimulon.									

9	D	em	n	iti	0	n
•	$\boldsymbol{\omega}$	7 I I			u	

Is the product ready for apart)?	disassembly (taking	□Not relevant	□Yes	□No	If "yes", please specify:			
Does the product require measures to protect heal during demolition/disass	th and environment	□Not relevant	□Yes	□No	If "yes", please specify:			
Other information:			•					
10 Waste mana	gement							
Is it possible to re-use all product?	l or parts of the	☐Not relevant	□Yes	□No	If "yes", please specify:			
Is it possible to recycle parts of the product?	materials for all or	☐Not relevant	□Yes	□No	If "yes", please specify: ca. 40-60 %			
Is it possible to recycle of the product?	□Not relevant	Yes	□No	If "yes", please specify: ca. 20 %				
recommendations for re-	s the supplier have any restrictions and ommendations for re-use, materials or gy recycling or waste disposal?				If "yes", please specify:			
Enter the waste code for the supplied product								
Is the supplied product classed as hazardous waste?								
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.								
Enter the waste code for	the built in product							
Is the built in product c	lassed as hazardous was	ste?			□Yes □No			
Other information:								
11 Indoor envir	onment (To add a	new green row, select and	copv an entire	empty row a	and paste it in)			
When used as intended,	,			ne product	does not have any			
Type of emission	Quantity [µg/m²h]	or [mg/m³h]	Method o		Comments			
Type of emission	4 weeks	26 weeks	measurement		Comments			
Can the product itself give	1		□Not rele		☐Yes ☐No			
Value Max. 44 with spring	ng U	nit dB(A)	Method of	measureme	ent			
Value Max. 44 with spring Can the product give rise	ng Ui e to electrical fields?		Method of	measureme vant	ent Yes No			
Value Max. 44 with sprin Can the product give rise Value	ng Use to electrical fields?	nit dB(A)	Method of Not rele Method of	measureme vant measureme	ent No			
Value Max. 44 with spring Can the product give rises Value Can the product give rises Can the product give rises	e to electrical fields? Use to magnetic fields?	nit	Method of Not rele Method of Not rele	measureme vant measureme vant	ent Yes No ent Yes No			
Value Max. 44 with sprin Can the product give rise Value	ng Use to electrical fields? Use to magnetic fields? Use to magnetic fields?	nit	Method of Not rele Method of Not rele Method of	measureme vant measureme vant measureme	ent Yes No ent Yes No ent			

References

Appendices

Certificate ISO 9001:2008 EU Declaration of Conformity